

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S41	13	(object near (state or context)) (thread near2 (state or context or switch\$4)) ((context or thread) near switch\$4) ((context or state) near6 (sav\$4 or stor\$4 or return\$4 or re\$1stor\$4)) ((fork\$4 or join\$4 or api) same (context or thread or state or switch\$4)) ((frame or instruction) with (address or pointer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/08 07:46
S40	39	(object near (state or context)) (thread near2 (state or context or switch\$4)) ((context or thread) near switch\$4) ((context or state) near6 (sav\$4 or stor\$4 or return\$4 or re\$1stor\$4)) ((fork\$4 or join\$4 or api) same (context or thread or state or switch\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/08 07:45
S38	64	(object near (state or context)) (thread near2 (state or context or switch\$4)) ((context or thread) near switch\$4) ((context or state) near6 (sav\$4 or stor\$4 or return\$4 or re\$1stor\$4)) (fork\$4 or join\$4 or api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/08 07:43
S37	83	(object near (state or context)) (thread near2 (state or context or switch\$4)) ((context or thread) near switch\$4) ((context or state) near6 (sav\$4 or stor\$4 or return\$4 or re\$1stor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/08 07:42
S36	95	(object near (state or context)) (thread near2 (state or context or switch\$4)) ((context or thread) near switch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/08 07:41
S35	18	(state adj object) ((context or thread) near2 switch\$4) (thread near8 (state or context)) ((object or state) near8 parameter) ((object or state or parameter) near8 (function or method)) ((object) near6 (context or switch\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 14:34
S28	29	(state adj object) ((context or thread) near2 switch\$4) (thread near8 (state or context)) ((object or state) near8 parameter) ((object or state or parameter) near8 (function or method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 14:16
S25	69	(state adj object) ((context or thread) near2 switch\$4) (thread near8 (state or context))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 14:14
S24	39	((instruction near2 (address or pointer or location)) with (state or context)) (switch\$4 near2 (context or thread)) ((context or state) near8 (instruction)) ((instruction near2 (address or pointer or location)) with (sav\$4 or re\$1stor\$4 or return\$4)) (thread near8 (state or context)) (fork\$4 or join\$4) @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 14:12
S23	55	((instruction near2 (address or pointer or location)) with (state or context)) (switch\$4 near2 (context or thread)) ((context or state) near8 (instruction)) ((instruction near2 (address or pointer or location)) with (sav\$4 or re\$1stor\$4 or return\$4)) (thread near8 (state or context)) (fork\$4 or join\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:57
S22	99	((instruction near2 (address or pointer or location)) with (state or context)) (switch\$4 near2 (context or thread)) ((context or state) near8 (instruction)) ((instruction near2 (address or pointer or location)) with (sav\$4 or re\$1stor\$4 or return\$4)) (thread near8 (state or context))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:56

## EAST Search History

S20	235	((instruction near2 (address or pointer or location)) with (state or context)) (switch\$4 near2 (context or thread)) ((context or state) near8 (instruction)) ((instruction near2 (address or pointer or location)) with (sav\$4 or re\$1stor\$4 or return\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:53
S19	277	((instruction near2 (address or pointer or location)) with (state or context)) (switch\$4 near2 (context or thread)) ((context or state) near8 (instruction)) ((instruction near2 (address or pointer or location)) same (sav\$4 or re\$1stor\$4 or return\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:53
S18	442	((instruction near2 (address or pointer or location)) same (state or context)) (switch\$4 near2 (context or thread)) ((context or state) near8 (instruction)) ((instruction near2 (address or pointer or location)) same (sav\$4 or re\$1stor\$4 or return\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:52
S17	758	((instruction near2 (address or pointer or location)) same (state or context)) (switch\$4 near2 (context or thread)) ((context or state) near8 (instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:50
S16	1428	(instruction near2 (address or pointer or location)) (switch\$4 near2 (context or thread)) ((context or state) near8 (instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:50
S15	2004	(instruction near2 (address or pointer or location)) (switch\$4 near2 (context or thread))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:49
S9	12	((application adj2 interface) or api) same (sav\$4 or state or re\$1stor\$4 or return\$4 or context or switch\$4)) ((thread or context) near2 switch\$4) ((sav\$4 near4 (state or context)) with (interface or api)) (state near6 context)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:48
S13	9	((application adj2 interface) or api) same (sav\$4 or state or re\$1stor\$4 or return\$4 or context or switch\$4)) ((thread or context) near2 switch\$4) ((sav\$4 near4 (state or context)) with (interface or api)) ((state or context) near4 thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:32
S7	11	((application adj2 interface) or api) same (sav\$4 or state or re\$1stor\$4 or return\$4)) ((thread or context) adj switch\$4) ((sav\$4 near4 (state or context)) with (interface or api)) (state near6 context)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 13:02
S4	25	((application adj2 interface) or api) same (sav\$4 or state or re\$1stor\$4 or return\$4)) ((thread or context) adj switch\$4) ((sav\$4 near4 state) with (interface or api))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 12:57
S3	128	((application adj2 interface) or api) same (sav\$4 or state or re\$1stor\$4 or return\$4)) ((thread or context) adj switch\$4) (sav\$4 near4 state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 12:57

## EAST Search History

S2	528	((application adj2 interface) or api) same (sav\$4 or state or re\$1stor\$4 or return\$4)) ((thread or context) adj switch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 12:56
S1	1310	((application adj2 interface) or api) ((thread or context) adj switch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/07 12:55